

Indoor unit model name SRK15ZS-WF, SRK35ZS-WF Outdoor unit model name SCM41ZS-W

Refrigerant	R32	GWP		675
Reingerähl	rj2	GWP		070
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.				
Cooling mode				
SEER		8.4		
Energy efficience		A++	1.1.47	
Design load (Po			kW	per year based on standard test regults
Energy consum Actual energy				per year.based on standard test results. the appliance is used and where it is located.
		•		
Heating mode (Ave	erage)			
SCOP Energy efficience		4.5 A+		
Design load (Pc			kW	(-10°C)
Declared capac		3.40		(-10°C)
Back up heating			kW	(-10°C)
Energy consum				per year.based on standard test results.
				the appliance is used and where it is located.
Heating mode (Wa	irmer) Optional			
SCOP		6.1		
Energy efficience		A+++		(2°C)
Design load (Po Declared capac		4.80 4.80	kW kW	(2°C) (2°C)
Back up heating			kW	(2°C)
Energy consum		-		per year.based on standard test results.
				the appliance is used and where it is located.
	•	1		
Heating mode (Col	lder) Optional			
SCOP		-		
Energy efficience		-		(00°0)
Design load (Po	• /		kW	(-22°C)
Declared capac			kW	(-22°C)
Back up heating Energy consum			kW	(-22°C) per year.based on standard test results.
Actual energy consumption will depend on how the appliance is used and where it is located.				
Sound power le	vel (indoor)	* 54		dB(A) * The sound power level indicated is the highest
Sound power le	vel (outdoor)	62		dB(A) value among that of connected indoor units.